

201 医療関係者およ

率は総理府統計局の推計人口および国勢調査人口を用いて県統計課で算出した。

年 末	医 師 数 ¹⁾		歯 科 医 師 数 ¹⁾		薬 剤 師 ¹⁾	保 健 婦 ²⁾	看 護 婦 ²⁾	看 護 人 ²⁾	準看護婦 ²⁾	助 産 婦 ²⁾
	総 数	人口10000対	総 数	人口10000対						
昭和 36年	765	12.8	193	3.6	235	153	952	5	482	412
37	772	13.0	194	3.3	252	158	781	5	472	412
38	788	13.4	195	3.3	262	157	788	5	575	428
39	807	13.7	195	3.3	272	155	1 146	5	821	362
40	798	13.8	199	3.4	285	154	1 235	5	946	343

1) 有資格者 2) 医療関係の就業者のみ

202 食 品 衛 生 昭和36~40年

許可を要する食品関係施設数

県厚生部「衛生統計年報」

業 種	昭和36年末	昭和37年末	昭和38年末	昭和39年末	昭和40年末
総 数	5 167	5 292	5 592	6 067	6 350
飲食店営業	2 264	2 342	2 446	2 644	2 836
菓子（パンを含む）製造業	625	618	613	620	601
乳処理業	30	32	29	29	24
特別牛乳さく取処理業	—	—	—	—	—
乳製品製造業	16	18	20	20	19
集乳業	—	—	2	2	1
魚介類販売業	387	404	419	427	450
魚介類せり売り営業	17	18	16	19	19
魚肉ねり製品製造業	55	54	54	58	57
食品の冷凍または冷蔵業	12	14	13	13	13
かん詰又はびん詰食品製造業	18	17	19	24	23
喫茶店営業	289	300	339	357	351
あん類製造業	7	7	7	7	7
アイスクリーム類製造業	131	116	102	88	66
乳類販売業	370	414	525	753	833
食肉販売業	206	240	285	344	398
食肉製品製造業	1	1	1	1	2
煮豆またはつくだ煮製造業	12	12	11	11	10
マーガリン製造業	—	—	—	—	—
みそ製造業	22	22	22	20	21
醤油製造業	51	51	50	51	49
ソース類製造業	7	7	8	8	8
酒類製造業	43	43	44	44	44
豆腐製造業	419	393	398	376	361
納豆製造業	1	3	4	4	3
めん類製造業	98	83	83	68	67
乳酸菌飲料製造業	18	15	13	8	9
清涼飲料水製造業	27	26	26	28	32
氷雪採取業	—	—	—	—	—
氷雪製造業	15	15	15	15	14
氷雪販売業	26	27	28	28	32

び 医 療 施 設 状 況 昭和36~40年

県厚生部「衛生統計年報」

病 院 数		一般診療所数		歯科診療所数		薬局数	病 床 数					年 末
総 数	人口10000対	総 数	人口10000対	総 数	人口10000対		病 院				一 般 診 療 所	
							総 数	結核病院	一般病院	精神病院		
31	0.52	391	6.6	175	2.9	101	4 599	920	3 133	546	1 267	36年
34	0.57	367	6.2	170	2.8	100	4 896	920	3 333	643	1 286	37
39	0.65	384	6.4	170	2.8	102	5 669	920	4 008	741	1 338	38
39	0.66	374	6.4	170	2.9	101	6 009	1 010	4 084	915	1 412	39
39	0.67	387	6.7	171	3.0	100	5 993	690	4 388	915	1 474	40

203 市郡別伝染病・食中毒患者数および死亡者数 昭和36~40年

この表はその年の発生数であり、発生地主義により患者の出身地は問わない。したがって別表主要死因別数とは一致しないことがある。

県厚生部「衛生統計年報」

年次・市郡	法 定 伝 染 病													
	赤 痢 1)		腸チフス 2)		しろう紅熱		ジフテリア		流 行 性 脳 脊 髄 炎		日 本 脳 炎		急性灰白髄炎	
	患 者	死 者	患 者	死 者	患 者	死 者	患 者	死 者	患 者	死 者	患 者	死 者	患 者	死 者
昭和 36年	898	21	6	—	77	1	94	2	7	1	46	12	5	—
37	1 116	10	23	1	68	—	57	1	7	1	35	11	1	—
38	945	6	14	—	117	—	59	1	—	—	16	8	—	—
39	612	7	6	—	66	—	52	1	2	1	121	47	1	—
40	469	2	17	1	52	—	34	—	3	—	16	8	—	—
1 鳥取市	76	—	—	—	22	—	24	—	—	—	4	4	—	—
2 米子市	77	—	1	—	7	—	—	—	—	—	—	—	—	—
3 倉吉市	61	—	9	—	1	—	—	—	1	—	2	—	—	—
4 境港市	9	—	—	—	2	—	—	—	—	—	1	—	—	—
5 岩美郡	18	—	—	—	5	—	2	—	—	—	1	—	—	—
6 八頭郡	78	—	—	—	4	—	2	—	1	—	3	1	—	—
7 気高郡	24	—	—	—	7	—	4	—	—	—	—	—	—	—
8 東伯郡	43	2	7	1	2	—	1	—	1	—	3	2	—	—
9 西伯郡	30	—	—	—	2	—	1	—	—	—	1	—	—	—
10 日野郡	53	—	—	—	—	—	—	—	—	—	1	1	—	—

年次・市郡	届 出 伝 染 病											性 病			食 中 毒	
	ま し ん		百 日 ぜ き		イ ン フ ル エ ン ザ		破 傷 風		結 核		ト ホ ー ム	梅 毒	り ん 病	軟 性 下 かん	患 者	死 者
	患 者	死 者	患 者	死 者	患 者	死 者	患 者	死 者	患 者	死 者	患 者	患 者	患 者	患 者	患 者	死 者
昭和 36年	133	1	42	—	368	5	5	4	2 178	232	14	49	18	—	375	8
37	1 235	11	505	1	696	21	7	7	1 953	235	41	26	6	—	310	7
38	65	—	158	—	—	—	7	5	2 005	152	78	179	99	23	203	1
39	712	4	58	—	955	5	5	3	1 652	130	11	105	110	21	560	6
40	917	2	213	—	2 008	54	6	4	1 354	119	1	95	46	22	1 044	1
1 鳥取市	10	1	—	—	5	4	1	—	257	16	—	3	3	—	62	—
2 米子市	342	—	158	—	175	6	1	1	277	22	—	55	29	14	3	—
3 倉吉市	—	—	—	—	46	6	—	—	111	12	—	5	2	—	4	—
4 境港市	41	—	—	—	234	1	1	1	100	7	—	16	2	4	—	—
5 岩美郡	—	—	—	—	1	2	—	—	52	10	—	—	—	—	3	1
6 八頭郡	79	1	2	—	523	9	—	1	145	19	—	1	1	—	869	—
7 気高郡	—	—	—	—	—	3	—	—	43	3	—	2	—	—	15	—
8 東伯郡	3	—	—	—	1 011	12	1	—	211	11	1	6	3	1	29	—
9 西伯郡	201	—	52	—	13	8	2	1	110	13	—	5	4	3	59	—
10 日野郡	241	—	1	—	—	3	—	—	48	6	—	2	2	—	—	—

1) 疫病を含む 2) バラチフスを含む

204 主要死因別・年令階級

1 この表は、厚生省統計調査部が実施する「人口動態調査」の県集計の結果である。
 2 住所地主義によるものである。

年次・年令・市郡	総 数	呼吸器系 の結核	その他 の結核	梅毒およ びその 続発症	赤 痢	猩紅熱 および 連鎖球菌 性口峽炎	ジフテ リア	髄膜炎 菌感染	痲 疹	伝染性および寄生性と 分類されたその他の疾		
										計	破傷風	日本脳炎
昭和36年	*5 315	*143	*15	17	*20	2	1	1	*4	*40	*3	12
37	5 112	147	12	4	10	—	—	1	7	39	7	16
38	5 142	142	10	14	6	—	1	—	—	36	5	8
39	5 132	119	11	17	7	—	1	1	4	83	3	47
40	5 328	115	4	11	2	—	—	1	2	29	4	8
男	2 781	79	1	6	—	—	—	—	—	15	4	1
女	2 547	36	3	5	2	—	—	1	2	14	—	7
0才	174	—	—	—	—	—	—	1	—	3	—	—
1 ~ 19	163	1	—	—	2	—	—	—	2	3	3	—
20 ~ 39	307	13	1	—	—	—	—	—	—	7	1	2
40 ~ 59	815	40	2	7	—	—	—	—	—	4	—	2
60 ~	3 869	61	1	4	—	—	—	—	—	12	—	4
1 鳥取市	791	15	1	2	—	—	—	—	1	10	—	4
2 米子市	745	22	—	1	—	—	—	—	—	7	1	—
3 倉吉市	442	12	—	2	—	—	—	—	—	—	—	—
4 境港市	294	7	—	—	—	—	—	—	—	3	1	—
5 岩美郡	296	10	—	—	—	—	—	—	—	—	—	—
6 八頭郡	683	17	2	2	—	—	—	1	1	4	1	1
7 気高郡	265	3	—	—	—	—	—	—	—	—	—	—
8 東伯郡	840	11	—	1	2	—	—	—	—	2	—	2
9 西伯郡	600	13	—	1	—	—	—	—	—	1	1	—
10 日野郡	372	5	1	2	—	—	—	—	—	2	—	1

年次・年令・市郡	髄膜炎 (髄膜炎菌 性および結 核性を除く)	リユ一 マチ熱	慢性リユ 一マチ性 心臓疾患	動脈硬化 性および 変性性心 臓疾患	その他 の心臓 疾患	高血圧 性心臓 疾患	その他 の高血 圧性 疾患	イ ン フル エンザ	肺炎(新 生児肺炎 を除く)	気 管 支 炎	胃およ び十二 指 腸 の潰瘍	虫垂炎
37	13	2	12	424	111	66	43	26	198	62	97	4
38	8	6	7	366	94	67	40	—	160	34	79	1
39	8	7	37	397	90	64	46	5	129	28	79	5
40	7	5	10	429	99	72	54	54	179	45	79	5
男	6	1	5	219	51	32	23	24	102	18	59	2
女	1	4	5	210	48	40	31	30	77	27	20	3
0才	—	—	—	—	—	—	—	1	25	—	—	—
1 ~ 19	2	1	1	2	1	1	—	2	9	2	—	—
20 ~ 39	—	—	1	22	4	—	—	—	5	—	6	—
40 ~ 59	1	—	—	66	10	3	5	2	15	3	10	2
60 ~	4	4	8	339	84	68	49	49	125	40	63	3
1 鳥取市	2	2	1	68	11	5	9	4	34	6	12	1
2 米子市	1	—	1	53	15	11	9	6	25	—	13	—
3 倉吉市	—	—	1	32	8	5	1	6	7	1	7	—
4 境港市	—	—	—	19	5	2	2	1	15	3	4	1
5 岩美郡	1	—	1	23	4	5	4	2	14	6	9	1
6 八頭郡	—	1	1	58	24	6	5	9	21	2	9	—
7 気高郡	1	—	1	35	—	3	1	3	8	1	1	1
8 東伯郡	—	1	2	76	20	13	6	12	25	19	7	—
9 西伯郡	2	1	1	45	7	16	14	8	14	3	8	1
10 日野郡	—	—	1	20	5	6	3	3	16	4	9	—

*印は修正値

別・市郡別死亡者数 昭和36~40年

県厚生部「衛生統計年報」

して 患	悪性新生物(リンパ組織および造血組織の新生物を含む)							良性的および 性質不詳の 新生物	糖尿病	貧血	中枢神経 系の 血管損傷	年次 令 市郡	
	計	胃の悪性 新生物	気管・気管 支及び肺の 悪性新生物	乳房の 悪性 新生物	子宮の 悪性 新生物	白血病 および 無白血病	その他						
	*25	*773	*370	*53	*11	*49	18	*272	*42	*28	16	*1 242	36年
	16	740	335	50	17	54	19	265	42	26	8	1 247	37
	23	816	405	46	7	56	21	281	37	30	11	1 413	38
	33	789	363	53	9	45	20	299	44	47	10	1 269	39
	17	788	362	61	17	44	20	284	28	52	12	1 382	40
	10	411	207	40	—	—	8	156	15	29	6	731	男女
	7	377	155	21	17	44	12	128	13	23	6	651	
	3	—	—	—	—	—	—	—	—	—	—	—	0才
	—	16	1	1	—	—	8	6	8	—	3	1	1~
	4	43	19	—	—	4	6	14	1	2	1	8	20~
	2	243	115	17	4	17	5	85	7	8	3	171	40~
	8	486	227	43	13	23	1	179	12	42	5	1 202	60~
	6	128	66	5	2	2	2	51	4	3	3	164	1
	6	123	46	8	2	8	6	53	5	10	2	196	2
	—	81	38	5	3	6	3	26	1	12	—	131	3
	2	39	19	2	1	2	1	14	1	4	1	91	4
	—	35	19	5	—	—	—	11	—	1	—	69	5
	2	84	43	7	2	3	2	27	7	—	2	192	6
	—	44	16	4	3	3	—	18	—	2	1	58	7
	—	130	57	11	—	12	3	47	4	5	1	215	8
	—	75	39	7	3	4	2	20	2	8	1	152	9
	1	49	19	7	1	4	1	17	4	7	1	114	10

腸閉塞 および ヘルニア	胃炎・十二指腸炎・胃腸 炎・腸炎および大腸炎 (新生児下痢を除く)			肝硬変	腎炎およびネフローゼ			前立腺 肥大症	妊娠・分 娩および 産褥の合 併症	先天奇形	出生時の 損傷・分 娩後窒息 および肝 不全拡張	年次 令 市郡	
	計	胃炎およ び十二指 腸炎	胃腸炎・ 腸炎およ び大腸炎		計	急性腎炎 およびネ フローゼ	その他						
	*22	*166	*26	*140	*71	*105	*28	*77	*2	12	28	*14	36年
	27	131	27	104	61	89	21	68	7	6	25	10	37
	36	153	30	123	74	84	26	58	3	6	27	7	38
	28	131	21	110	83	84	25	59	4	15	22	17	39
	32	94	22	72	86	83	21	62	7	11	17	17	40
	20	35	7	28	62	43	12	31	7	—	6	13	男女
	12	59	15	44	24	40	9	31	—	11	11	4	
	—	7	—	7	—	1	1	—	—	—	12	17	0才
	—	3	—	3	—	3	2	1	—	—	4	—	1~
	2	—	—	—	4	16	2	14	—	11	1	—	20~
	9	6	4	2	28	13	4	9	—	—	—	—	40~
	21	78	18	60	54	50	12	38	7	—	—	—	60~
	2	8	2	6	12	13	3	10	1	1	6	1	1
	2	4	1	3	13	8	1	7	—	3	4	2	2
	2	6	2	4	11	4	1	3	1	1	—	1	3
	1	3	1	2	5	4	2	2	—	—	1	4	4
	1	10	1	9	4	4	1	3	—	—	1	1	5
	2	15	2	13	14	7	3	4	2	1	—	3	6
	3	9	1	8	2	5	1	4	—	1	1	—	7
	11	22	8	14	12	18	4	14	2	1	3	1	8
	5	11	2	9	8	11	2	9	1	2	1	3	9
	3	6	2	4	5	9	3	6	—	1	—	1	10

204 主要死因別・年齢階級別・市郡別死亡者数 昭和36～40年 (続)

県厚生部「衛生統計年報」

年次・年齢・市郡	新生児の感染			その他の新生児固有の疾患および性質不明の未熟児	精神病の記載のない老衰ならびに診断名不明および不明の原因			その他のすべての疾患		
	計	新生児肺炎	その他		計	精神病の記載のない老衰	その他の診断名不明および不明の原因	計	その他の循環器系の疾患(先天性を除く)	その他
昭和36年	*38	*35	*3	*103	*702	*562	*140	*382	31	*351
37	23	21	2	105	621	507	114	321	3	318
38	21	20	1	72	618	489	129	291	28	263
39	18	17	1	68	651	516	135	328	26	302
40	17	16	1	61	676	547	129	349	26	323
男	7	7	—	34	263	187	76	166	13	153
女	10	9	1	27	413	360	53	183	13	170
0才	17	16	1	61	7	—	7	8	—	8
1 ~ 19	—	—	—	—	5	—	5	19	—	19
20 ~ 39	—	—	—	—	10	—	10	24	—	24
40 ~ 59	—	—	—	—	23	—	23	52	4	48
60 ~	—	—	—	—	631	547	84	246	22	224
1 鳥取市	3	3	—	9	119	104	15	63	4	59
2 米子市	3	3	—	5	99	74	25	47	5	42
3 倉吉市	—	—	—	3	36	27	9	40	1	39
4 境港市	—	—	—	5	36	25	11	14	3	11
5 岩美郡	—	—	—	6	44	39	5	16	1	15
6 八頭郡	2	2	—	5	88	74	14	44	—	44
7 気高郡	3	3	—	6	23	23	—	16	—	16
8 東伯郡	—	—	—	6	107	83	24	45	5	40
9 西伯郡	6	5	1	11	77	52	25	43	6	37
10 日野郡	—	—	—	5	47	46	1	21	1	20

年次・年齢・市郡	自動車事故	その他の不慮の事故					自殺および他殺		
		計	自動車以外の交通事故	不慮の墜落	不慮の溺死および溺水	その他	計	自殺および自傷	他殺
昭和36年	*85	*203	*22	*40	*51	*90	103	*95	*8
37	54	171	36	29	46	60	119	115	4
38	54	210	37	26	53	94	108	103	5
39	82	197	24	50	55	68	107	101	6
40	113	207	17	36	66	88	94	90	4
男	93	142	15	25	41	61	55	53	2
女	20	65	2	11	25	27	39	37	2
0才	—	14	—	—	—	14	—	—	—
1 ~ 19	23	44	2	4	31	7	5	3	2
20 ~ 39	46	44	3	9	13	19	35	34	1
40 ~ 59	21	41	4	4	12	21	20	20	—
60 ~	23	64	8	19	10	27	34	33	1
1 鳥取市	26	31	1	7	8	15	10	10	—
2 米子市	16	20	1	3	10	6	19	17	2
3 倉吉市	6	13	—	6	3	4	11	11	—
4 境港市	6	12	1	1	4	6	5	5	—
5 岩美郡	2	16	1	2	5	8	6	6	—
6 八頭郡	7	34	2	4	11	17	11	9	2
7 気高郡	8	20	1	2	10	7	5	5	—
8 東伯郡	22	24	3	3	3	15	14	14	—
9 西伯郡	14	25	5	5	10	5	9	9	—
10 日野郡	6	12	2	3	2	5	4	4	—

205 法定・指定届出伝染病り患率

昭和31~40年

1 法定・指定伝染病り患率

県厚生部「衛生統計年報」

年次	赤痢 (含疫痢)	腸チフス	パラチフス	しろう紅熱	ジフテリア	流行性脳 脊髄膜炎	日本脳炎	急性灰白髄炎
全 国								
昭和 31 年	93.6	2.4	0.6	13.5	20.4	0.7	5.0	0.3
32	82.1	2.3	0.4	15.9	16.9	0.8	2.0	1.9
33	88.7	2.1	1.2	14.9	17.0	0.7	4.2	2.8
34	92.2	1.7	0.4	10.6	19.3	0.6	2.1	3.1
35	100.6	1.7	0.3	9.4	16.0	0.6	1.7	6.0
36	97.1	1.1	0.2	6.6	10.4	0.5	2.2	2.6
37	77.7	1.0	0.2	8.8	7.8	0.4	1.4	0.3
38	72.6	1.0	0.2	16.7	5.1	0.3	1.3	0.1
39	53.9	0.9	0.2	13.3	2.9	0.3	2.8	0.1
40	49.5	0.8	0.1	10.9	2.2	0.2	1.2	0.1
鳥 取 県								
昭和 31 年	77.0	3.4	0.3	8.5	29.6	1.1	7.8	2.8
32	62.4	2.8	0.3	4.4	31.0	2.6	3.8	1.6
33	58.9	3.1	0.2	5.1	22.8	1.6	8.0	3.4
34	128.1	3.3	0.3	3.3	30.4	0.8	2.5	1.6
35	151.4	0.3	—	13.0	19.5	0.8	3.8	3.2
36	150.3	1.0	—	13.3	15.6	1.2	7.7	0.7
37	188.4	3.4	0.5	11.5	9.4	1.0	5.7	0.2
38	160.5	2.5	—	19.8	10.3	—	2.7	—
39	102.1	1.0	—	11.0	8.7	0.3	20.2	0.2
40	81.4	3.1	—	9.0	6.0	0.5	2.9	—

2 届出伝染病り患率

年次	マラリア	ましん	百日咳	インフルエンザ	破傷風	つつが虫病	住血吸虫病	トラホーム
全 国								
昭和 31 年	0.1	75.5	20.5	27.7	1.1	0.0	1.6	101.6
32	0.0	72.3	22.1	1 079.3	1.0	0.0	0.7	85.5
33	0.0	31.9	32.6	85.8	0.9	0.0	2.2	68.9
34	0.0	81.1	10.5	20.9	0.9	0.0	1.0	59.1
35	0.0	52.0	4.0	153.0	0.9	0.1	0.5	48.4
36	0.0	41.7	5.5	118.6	0.8	0.1	0.5	31.1
37	0.0	67.3	12.1	498.4	0.7	0.1	0.4	24.7
38	0.0	39.7	4.3	0.8	0.7	0.0	0.3	28.6
39	0.0	54.0	1.2	113.4	0.7	0.0	0.5	24.8
40	0.0	38.5	2.4	416.6	0.6	0.0	0.2	22.2
鳥 取 県								
昭和 31 年	—	179.5	14.7	—	1.0	—	—	31.9
32	—	46.9	10.1	3.1	1.1	—	—	15.2
33	—	3.3	50.0	2.3	1.1	—	—	2.3
34	—	150.6	8.2	1.0	0.8	0.2	—	1.6
35	—	3.5	0.2	20.2	2.3	0.2	—	—
36	—	2.3	7.0	61.7	0.8	—	—	2.0
37	0.2	20.7	85.2	117.4	1.2	—	0.2	6.9
38	—	11.9	26.8	—	1.2	—	—	13.2
39	—	118.8	9.7	166.0	0.8	—	—	1.8
40	—	158.0	36.7	346.3	1.0	—	—	0.3

(注) 人口10万人に対するり患率である。

206 学 校

1 年令別身長・体重・

この表は、学校衛生統計調査による4月中の計測検査結果である。
(単位 身長・胸囲・坐高 cm・体重kg)

年 次	男																																																																																																																																																																																																																																																																											
	6才	7才	8才	9才	10才	11才	12才	13才	14才	15才	16才	17才	18才	19才																																																																																																																																																																																																																																																														
昭和 36年	身																																																																																																																																																																																																																																																																											
	111.7	117.2	122.0	127.3	131.6	136.6	141.8	148.4	155.1	162.3	164.2	165.6	164.7	164.9																																																																																																																																																																																																																																																														
	37 111.9	117.2	122.6	127.5	132.1	136.5	142.8	149.6	156.5	161.6	164.6	165.6	165.0	165.7																																																																																																																																																																																																																																																														
	38 112.3	117.6	123.0	127.8	132.4	137.1	142.8	150.4	156.9	162.3	164.7	166.2	165.7	165.3																																																																																																																																																																																																																																																														
	39 112.6	118.3	123.5	128.4	133.1	137.9	144.4	151.2	158.2	162.6	165.5	166.1	166.7	165.9																																																																																																																																																																																																																																																														
40 112.9	118.6	123.7	128.4	133.4	138.8	144.2	151.3	157.7	164.1	166.0	167.1	167.9	165.9	昭和 36年	体														18.9	21.0	23.1	25.6	27.9	30.6	34.2	39.2	45.1	51.6	54.6	56.6	59.2	59.1	37 18.9	21.0	23.3	25.6	28.1	30.8	35.1	40.2	45.8	50.9	54.9	56.8	57.0	58.0	38 19.1	21.1	23.3	25.8	28.1	31.0	35.0	40.9	46.1	51.0	54.6	56.9	58.1	58.7	39 19.2	21.3	23.6	25.8	28.5	31.4	35.7	40.9	46.9	51.5	54.9	56.8	58.1	57.7	40 19.4	21.4	23.6	26.1	28.6	31.9	35.7	41.2	46.7	52.4	55.4	57.4	58.5	57.4	昭和 36年	胸														56.3	58.3	60.1	62.2	64.2	66.1	68.5	72.1	76.4	80.2	82.7	84.7	85.8	85.6	37 56.4	58.2	60.3	62.3	64.0	66.1	68.9	72.4	76.6	80.1	82.9	85.0	85.1	85.5	38 56.5	58.4	60.5	62.4	64.4	66.5	69.1	72.5	76.4	80.4	83.3	85.9	86.2	86.5	39 56.7	58.6	60.7	62.4	64.6	67.0	68.9	72.8	76.9	80.5	83.2	85.3	85.9	86.4	40 56.7	58.6	60.4	62.4	64.4	66.9	68.9	72.8	77.1	81.4	83.9	85.3	86.0	84.5	昭和 36年	坐														63.4	66.1	68.2	70.5	72.3	74.4	77.0	80.2	83.6	88.1	89.3	90.1	89.9	90.9	37 63.5	65.9	68.3	70.5	72.5	74.3	77.4	80.8	84.4	87.6	89.4	90.2	90.2	90.4	38 63.8	66.3	68.7	70.9	72.8	74.7	77.7	81.3	84.8	87.8	89.3	90.3	89.9	90.4	39 63.9	66.4	68.7	70.9	72.9	74.8	78.4	81.7	85.4	88.0	89.6	90.8	89.9	90.3	40 64.1	66.7	69.0	71.1	73.2	75.5	78.5	81.9	85.1	88.4	89.8	90.4	90.8	89.3
昭和 36年	体																																																																																																																																																																																																																																																																											
	18.9	21.0	23.1	25.6	27.9	30.6	34.2	39.2	45.1	51.6	54.6	56.6	59.2		59.1																																																																																																																																																																																																																																																													
	37 18.9	21.0	23.3	25.6	28.1	30.8	35.1	40.2	45.8	50.9	54.9	56.8	57.0		58.0																																																																																																																																																																																																																																																													
	38 19.1	21.1	23.3	25.8	28.1	31.0	35.0	40.9	46.1	51.0	54.6	56.9	58.1		58.7																																																																																																																																																																																																																																																													
	39 19.2	21.3	23.6	25.8	28.5	31.4	35.7	40.9	46.9	51.5	54.9	56.8	58.1	57.7																																																																																																																																																																																																																																																														
40 19.4	21.4	23.6	26.1	28.6	31.9	35.7	41.2	46.7	52.4	55.4	57.4	58.5	57.4	昭和 36年	胸														56.3	58.3	60.1	62.2	64.2	66.1	68.5	72.1	76.4	80.2	82.7	84.7	85.8	85.6	37 56.4	58.2	60.3	62.3	64.0	66.1	68.9	72.4	76.6	80.1	82.9	85.0	85.1	85.5	38 56.5	58.4	60.5	62.4	64.4	66.5	69.1	72.5	76.4	80.4	83.3	85.9	86.2	86.5	39 56.7	58.6	60.7	62.4	64.6	67.0	68.9	72.8	76.9	80.5	83.2	85.3	85.9	86.4	40 56.7	58.6	60.4	62.4	64.4	66.9	68.9	72.8	77.1	81.4	83.9	85.3	86.0	84.5	昭和 36年	坐														63.4	66.1	68.2	70.5	72.3	74.4	77.0	80.2	83.6	88.1	89.3	90.1	89.9	90.9	37 63.5	65.9	68.3	70.5	72.5	74.3	77.4	80.8	84.4	87.6	89.4	90.2	90.2	90.4	38 63.8	66.3	68.7	70.9	72.8	74.7	77.7	81.3	84.8	87.8	89.3	90.3	89.9	90.4	39 63.9	66.4	68.7	70.9	72.9	74.8	78.4	81.7	85.4	88.0	89.6	90.8	89.9	90.3	40 64.1	66.7	69.0	71.1	73.2	75.5	78.5	81.9	85.1	88.4	89.8	90.4	90.8	89.3																																																																																					
昭和 36年	胸																																																																																																																																																																																																																																																																											
	56.3	58.3	60.1	62.2	64.2	66.1	68.5	72.1	76.4	80.2	82.7	84.7	85.8		85.6																																																																																																																																																																																																																																																													
	37 56.4	58.2	60.3	62.3	64.0	66.1	68.9	72.4	76.6	80.1	82.9	85.0	85.1		85.5																																																																																																																																																																																																																																																													
	38 56.5	58.4	60.5	62.4	64.4	66.5	69.1	72.5	76.4	80.4	83.3	85.9	86.2		86.5																																																																																																																																																																																																																																																													
	39 56.7	58.6	60.7	62.4	64.6	67.0	68.9	72.8	76.9	80.5	83.2	85.3	85.9	86.4																																																																																																																																																																																																																																																														
40 56.7	58.6	60.4	62.4	64.4	66.9	68.9	72.8	77.1	81.4	83.9	85.3	86.0	84.5	昭和 36年	坐														63.4	66.1	68.2	70.5	72.3	74.4	77.0	80.2	83.6	88.1	89.3	90.1	89.9	90.9	37 63.5	65.9	68.3	70.5	72.5	74.3	77.4	80.8	84.4	87.6	89.4	90.2	90.2	90.4	38 63.8	66.3	68.7	70.9	72.8	74.7	77.7	81.3	84.8	87.8	89.3	90.3	89.9	90.4	39 63.9	66.4	68.7	70.9	72.9	74.8	78.4	81.7	85.4	88.0	89.6	90.8	89.9	90.3	40 64.1	66.7	69.0	71.1	73.2	75.5	78.5	81.9	85.1	88.4	89.8	90.4	90.8	89.3																																																																																																																																																																										
昭和 36年	坐																																																																																																																																																																																																																																																																											
	63.4	66.1	68.2	70.5	72.3	74.4	77.0	80.2	83.6	88.1	89.3	90.1	89.9		90.9																																																																																																																																																																																																																																																													
	37 63.5	65.9	68.3	70.5	72.5	74.3	77.4	80.8	84.4	87.6	89.4	90.2	90.2		90.4																																																																																																																																																																																																																																																													
	38 63.8	66.3	68.7	70.9	72.8	74.7	77.7	81.3	84.8	87.8	89.3	90.3	89.9		90.4																																																																																																																																																																																																																																																													
	39 63.9	66.4	68.7	70.9	72.9	74.8	78.4	81.7	85.4	88.0	89.6	90.8	89.9	90.3																																																																																																																																																																																																																																																														
40 64.1	66.7	69.0	71.1	73.2	75.5	78.5	81.9	85.1	88.4	89.8	90.4	90.8	89.3																																																																																																																																																																																																																																																															

2 学校生徒児童の疾病異常

(単位 率%)

校種・男女・年次	一 般																																																																																																																																																																																																																																													
	在 学 生 徒 児 童 数	受 検 人 員 1)	栄 養 要 注 意	せ き 柱 異 常	胸 郭 異 常	伝 染 性 の 皮 膚 疾 患	眼																																																																																																																																																																																																																																							
							近 視	遠 視	乱 視																																																																																																																																																																																																																																					
小学校 男 昭和 36年	14 091	13 740	1.3	1.0	1.5	2.6	10.7	0.1	0.3																																																																																																																																																																																																																																					
	37 12 527	12 173	0.7	0.8	1.4	4.6	10.2	—	0.1																																																																																																																																																																																																																																					
	38 12 458	12 275	1.1	1.0	1.5	2.0	9.3	0.1	0.2																																																																																																																																																																																																																																					
	39 11 498	11 362	0.6	1.7	2.0	1.8	10.5	0.02	0.3																																																																																																																																																																																																																																					
	40 10 946	10 804	0.7	0.7	1.1	2.7	10.7	0.1	0.2	小学校 女 昭和 36年	13 734	13 455	1.1	0.6	1.1	1.2	12.6	0.2	0.5	37 11 827	11 514	0.5	0.6	1.0	2.4	12.1	0.1	0.2	38 11 847	11 701	0.8	0.6	1.4	0.9	11.2	0.1	0.3	39 10 764	10 649	0.5	1.3	1.4	1.0	12.0	0.1	0.3	40 10 542	10 425	0.7	0.6	1.0	1.3	13.2	0.0	0.2	中学校 男 昭和 36年	11 917	11 670	0.4	1.2	0.7	3.6	14.9	0.04	0.9	37 12 720	12 324	0.1	0.3	0.6	1.1	19.0	0.04	0.5	38 11 615	11 366	0.1	0.3	0.4	2.0	19.4	0.02	0.3	39 10 609	10 261	0.4	0.4	1.0	1.8	21.5	0.04	0.5	40 10 066	9 910	0.3	0.3	0.3	1.8	18.7	0.0	0.8	中学校 女 昭和 36年	11 180	11 003	0.2	0.8	0.5	1.5	20.4	0.1	1.2	37 12 033	11 756	0.1	0.4	0.4	0.3	22.9	0.1	0.7	38 11 052	10 858	0.2	0.5	0.2	0.9	22.6	—	0.5	39 10 074	9 787	0.3	0.4	0.4	0.7	24.4	—	0.7	40 9 478	9 337	0.2	0.3	0.1	1.0	23.6	—	1.3	高等学校 男 昭和 36年	3 443	3 396	—	0.5	0.8	0.2	31.0	0.4	2.9	37 6 822	6 736	0.1	0.6	0.3	1.0	29.5	0.1	1.1	38 6 049	5 656	0.04	0.8	1.1	0.8	34.2	—	1.4	39 8 046	7 836	0.1	1.2	0.7	0.2	33.1	0.2	1.9	40 11 513	11 157	0.0	0.6	0.5	0.2	39.8	0.1	0.9	高等学校 女 昭和 36年	2 782	2 752	—	0.1	0.1	0.04	31.5	0.3	1.7	37 4 127	4 082	0.1	0.02	0.1	0.2	29.7	0.1	1.1	38 7 198	7 025	0.2	0.1	0.1	0.1	30.7	0.3	1.0	39 7 437	7 349	—	0.01	0.1	0.01	35.6	0.3	1.7	40 8 334	8 017	0.0	0.1	0.2	0.0	41.5	0.1
小学校 女 昭和 36年	13 734	13 455	1.1	0.6	1.1	1.2	12.6	0.2	0.5																																																																																																																																																																																																																																					
	37 11 827	11 514	0.5	0.6	1.0	2.4	12.1	0.1	0.2																																																																																																																																																																																																																																					
	38 11 847	11 701	0.8	0.6	1.4	0.9	11.2	0.1	0.3																																																																																																																																																																																																																																					
	39 10 764	10 649	0.5	1.3	1.4	1.0	12.0	0.1	0.3																																																																																																																																																																																																																																					
	40 10 542	10 425	0.7	0.6	1.0	1.3	13.2	0.0	0.2	中学校 男 昭和 36年	11 917	11 670	0.4	1.2	0.7	3.6	14.9	0.04	0.9	37 12 720	12 324	0.1	0.3	0.6	1.1	19.0	0.04	0.5	38 11 615	11 366	0.1	0.3	0.4	2.0	19.4	0.02	0.3	39 10 609	10 261	0.4	0.4	1.0	1.8	21.5	0.04	0.5	40 10 066	9 910	0.3	0.3	0.3	1.8	18.7	0.0	0.8	中学校 女 昭和 36年	11 180	11 003	0.2	0.8	0.5	1.5	20.4	0.1	1.2	37 12 033	11 756	0.1	0.4	0.4	0.3	22.9	0.1	0.7	38 11 052	10 858	0.2	0.5	0.2	0.9	22.6	—	0.5	39 10 074	9 787	0.3	0.4	0.4	0.7	24.4	—	0.7	40 9 478	9 337	0.2	0.3	0.1	1.0	23.6	—	1.3	高等学校 男 昭和 36年	3 443	3 396	—	0.5	0.8	0.2	31.0	0.4	2.9	37 6 822	6 736	0.1	0.6	0.3	1.0	29.5	0.1	1.1	38 6 049	5 656	0.04	0.8	1.1	0.8	34.2	—	1.4	39 8 046	7 836	0.1	1.2	0.7	0.2	33.1	0.2	1.9	40 11 513	11 157	0.0	0.6	0.5	0.2	39.8	0.1	0.9	高等学校 女 昭和 36年	2 782	2 752	—	0.1	0.1	0.04	31.5	0.3	1.7	37 4 127	4 082	0.1	0.02	0.1	0.2	29.7	0.1	1.1	38 7 198	7 025	0.2	0.1	0.1	0.1	30.7	0.3	1.0	39 7 437	7 349	—	0.01	0.1	0.01	35.6	0.3	1.7	40 8 334	8 017	0.0	0.1	0.2	0.0	41.5	0.1	0.8																																													
中学校 男 昭和 36年	11 917	11 670	0.4	1.2	0.7	3.6	14.9	0.04	0.9																																																																																																																																																																																																																																					
	37 12 720	12 324	0.1	0.3	0.6	1.1	19.0	0.04	0.5																																																																																																																																																																																																																																					
	38 11 615	11 366	0.1	0.3	0.4	2.0	19.4	0.02	0.3																																																																																																																																																																																																																																					
	39 10 609	10 261	0.4	0.4	1.0	1.8	21.5	0.04	0.5																																																																																																																																																																																																																																					
	40 10 066	9 910	0.3	0.3	0.3	1.8	18.7	0.0	0.8	中学校 女 昭和 36年	11 180	11 003	0.2	0.8	0.5	1.5	20.4	0.1	1.2	37 12 033	11 756	0.1	0.4	0.4	0.3	22.9	0.1	0.7	38 11 052	10 858	0.2	0.5	0.2	0.9	22.6	—	0.5	39 10 074	9 787	0.3	0.4	0.4	0.7	24.4	—	0.7	40 9 478	9 337	0.2	0.3	0.1	1.0	23.6	—	1.3	高等学校 男 昭和 36年	3 443	3 396	—	0.5	0.8	0.2	31.0	0.4	2.9	37 6 822	6 736	0.1	0.6	0.3	1.0	29.5	0.1	1.1	38 6 049	5 656	0.04	0.8	1.1	0.8	34.2	—	1.4	39 8 046	7 836	0.1	1.2	0.7	0.2	33.1	0.2	1.9	40 11 513	11 157	0.0	0.6	0.5	0.2	39.8	0.1	0.9	高等学校 女 昭和 36年	2 782	2 752	—	0.1	0.1	0.04	31.5	0.3	1.7	37 4 127	4 082	0.1	0.02	0.1	0.2	29.7	0.1	1.1	38 7 198	7 025	0.2	0.1	0.1	0.1	30.7	0.3	1.0	39 7 437	7 349	—	0.01	0.1	0.01	35.6	0.3	1.7	40 8 334	8 017	0.0	0.1	0.2	0.0	41.5	0.1	0.8																																																																																											
中学校 女 昭和 36年	11 180	11 003	0.2	0.8	0.5	1.5	20.4	0.1	1.2																																																																																																																																																																																																																																					
	37 12 033	11 756	0.1	0.4	0.4	0.3	22.9	0.1	0.7																																																																																																																																																																																																																																					
	38 11 052	10 858	0.2	0.5	0.2	0.9	22.6	—	0.5																																																																																																																																																																																																																																					
	39 10 074	9 787	0.3	0.4	0.4	0.7	24.4	—	0.7																																																																																																																																																																																																																																					
	40 9 478	9 337	0.2	0.3	0.1	1.0	23.6	—	1.3	高等学校 男 昭和 36年	3 443	3 396	—	0.5	0.8	0.2	31.0	0.4	2.9	37 6 822	6 736	0.1	0.6	0.3	1.0	29.5	0.1	1.1	38 6 049	5 656	0.04	0.8	1.1	0.8	34.2	—	1.4	39 8 046	7 836	0.1	1.2	0.7	0.2	33.1	0.2	1.9	40 11 513	11 157	0.0	0.6	0.5	0.2	39.8	0.1	0.9	高等学校 女 昭和 36年	2 782	2 752	—	0.1	0.1	0.04	31.5	0.3	1.7	37 4 127	4 082	0.1	0.02	0.1	0.2	29.7	0.1	1.1	38 7 198	7 025	0.2	0.1	0.1	0.1	30.7	0.3	1.0	39 7 437	7 349	—	0.01	0.1	0.01	35.6	0.3	1.7	40 8 334	8 017	0.0	0.1	0.2	0.0	41.5	0.1	0.8																																																																																																																																									
高等学校 男 昭和 36年	3 443	3 396	—	0.5	0.8	0.2	31.0	0.4	2.9																																																																																																																																																																																																																																					
	37 6 822	6 736	0.1	0.6	0.3	1.0	29.5	0.1	1.1																																																																																																																																																																																																																																					
	38 6 049	5 656	0.04	0.8	1.1	0.8	34.2	—	1.4																																																																																																																																																																																																																																					
	39 8 046	7 836	0.1	1.2	0.7	0.2	33.1	0.2	1.9																																																																																																																																																																																																																																					
	40 11 513	11 157	0.0	0.6	0.5	0.2	39.8	0.1	0.9	高等学校 女 昭和 36年	2 782	2 752	—	0.1	0.1	0.04	31.5	0.3	1.7	37 4 127	4 082	0.1	0.02	0.1	0.2	29.7	0.1	1.1	38 7 198	7 025	0.2	0.1	0.1	0.1	30.7	0.3	1.0	39 7 437	7 349	—	0.01	0.1	0.01	35.6	0.3	1.7	40 8 334	8 017	0.0	0.1	0.2	0.0	41.5	0.1	0.8																																																																																																																																																																																							
高等学校 女 昭和 36年	2 782	2 752	—	0.1	0.1	0.04	31.5	0.3	1.7																																																																																																																																																																																																																																					
	37 4 127	4 082	0.1	0.02	0.1	0.2	29.7	0.1	1.1																																																																																																																																																																																																																																					
	38 7 198	7 025	0.2	0.1	0.1	0.1	30.7	0.3	1.0																																																																																																																																																																																																																																					
	39 7 437	7 349	—	0.01	0.1	0.01	35.6	0.3	1.7																																																																																																																																																																																																																																					
	40 8 334	8 017	0.0	0.1	0.2	0.0	41.5	0.1	0.8																																																																																																																																																																																																																																					

1) 一般検診の受検者数は栄養要注意検査数である。

衛生

胸囲・坐高

昭和36～40年

県統計課

女														年次
6才	7才	8才	9才	10才	11才	12才	13才	14才	15才	16才	17才	18才	19才	
長														
110.7	116.1	121.4	126.6	132.4	138.6	144.2	148.9	151.0	153.3	153.7	153.9	154.6	160.0	36年
110.9	116.2	121.7	126.7	132.4	138.8	145.1	149.2	152.1	153.1	153.9	153.9	154.0	155.0	37
111.3	116.8	122.2	127.2	132.9	139.5	145.1	149.6	152.0	153.6	153.9	154.1	154.5	154.3	38
111.7	117.6	122.5	128.0	133.5	140.2	146.1	150.4	152.7	153.8	154.5	154.5	154.4	157.4	39
111.7	117.8	122.9	128.2	134.3	140.5	146.4	150.4	152.8	154.5	154.7	155.1	154.8	154.7	40
重														
18.5	21.0	22.7	25.1	28.2	32.3	36.9	41.6	45.3	48.3	49.8	50.7	51.7	45.0	36年
18.5	20.5	22.7	25.3	28.2	32.6	37.4	42.0	45.8	48.0	50.8	51.5	52.5	51.6	37
18.6	20.6	22.9	25.3	28.3	32.6	37.3	42.2	45.8	47.8	49.8	50.7	51.0	51.2	38
18.7	20.8	23.1	25.6	28.8	33.2	37.9	42.4	45.9	48.6	50.1	50.8	52.2	52.8	39
18.8	20.9	22.9	25.7	29.0	33.3	38.2	42.7	46.1	48.2	50.3	50.9	50.9	50.7	40
囲														
54.8	56.3	58.4	60.3	63.3	66.2	70.5	74.2	76.9	79.6	81.0	81.5	81.9	79.5	36年
54.9	56.4	58.6	60.5	63.0	66.2	70.4	74.4	77.1	79.1	81.2	81.8	82.5	82.9	37
55.1	56.7	58.7	60.6	63.2	66.7	70.5	74.3	77.3	79.7	81.0	81.9	82.3	81.7	38
55.1	56.8	58.6	60.8	63.4	67.4	70.7	74.6	77.0	80.1	80.9	82.0	82.7	84.4	39
55.1	56.9	58.6	60.8	63.3	66.8	71.2	74.6	76.8	78.9	80.5	81.3	81.2	81.7	40
高														
63.0	65.5	68.0	70.3	73.4	75.9	79.4	81.8	83.3	84.3	84.2	84.3	84.4	85.0	36年
63.1	65.5	68.0	70.4	73.0	76.0	79.7	82.1	83.9	84.7	85.3	85.3	84.5	84.5	37
63.3	65.9	68.5	70.6	73.2	76.3	80.0	82.3	83.9	84.8	84.9	85.1	85.2	85.5	38
63.5	66.2	68.3	70.8	73.3	76.6	80.4	82.9	84.4	85.0	85.7	85.5	85.2	85.4	39
63.5	66.2	68.7	71.4	73.8	76.8	80.5	82.9	84.3	85.1	85.5	85.6	84.8	84.3	40

該当者率 (受検人員に対 する100分比) 昭和36～40年

県統計課

検 診										受検人員	菌 が		校種 男女 年次
視			耳		鼻 ・ いんとう			む し 菌					
弱 (両眼)	色異	神常	ト ホーム	難聴 (両耳)	中耳炎	せん様増殖症 (アデノイド)	蓄のう症	へんとう腺大肥	処置を完了しているもの		未処置菌のあるもの		
0.1	2.8	1.1	0.6	0.5	0.5	1.5	8.0	13 785	4.1	80.3	36年		
0.1	3.1	0.9	0.9	0.5	1.1	1.0	8.3	11 809	4.5	77.8	37		
0.2	3.0	0.8	0.6	0.3	0.7	1.4	8.0	12 102	4.5	83.9	38		
0.1	2.6	0.9	0.4	0.5	0.5	1.1	10.6	11 057	5.7	81.5	39		
0.1	3.4	0.9	0.7	0.5	1.2	2.3	9.6	10 761	4.8	83.7	40		
0.05	0.3	1.4	0.7	0.3	0.3	1.4	8.3	13 525	5.1	79.6	36年		
0.1	0.2	0.9	0.8	0.3	1.0	0.7	8.1	11 181	5.7	77.5	37		
0.2	0.2	1.0	0.5	0.2	0.8	1.4	8.3	11 553	6.0	84.1	38		
0.1	0.1	1.1	0.3	0.3	0.5	0.9	10.3	10 326	8.2	80.6	39		
0.1	0.2	1.4	0.6	0.3	0.9	1.7	9.7	10 378	6.7	83.8	40		
0.1	3.6	1.7	0.8	0.7	0.1	1.1	6.7	11 474	9.5	57.1	36年		
0.2	3.8	2.0	0.5	0.8	0.02	2.5	6.3	12 006	12.3	60.4	37		
0.2	3.9	0.7	0.6	0.6	0.1	1.9	5.9	11 392	10.3	64.6	38		
0.03	4.3	0.5	0.4	0.3	0.2	1.1	6.9	10 044	11.5	65.3	39		
0.4	3.9	0.8	0.3	0.6	0.1	2.6	7.3	9 577	12.4	66.3	40		
0.2	0.3	2.1	0.5	0.4	0.1	1.4	7.3	10 856	12.8	60.7	36年		
0.2	0.3	2.5	0.4	0.7	0.03	2.3	5.8	11 348	15.3	63.3	37		
0.1	0.2	0.6	0.4	0.3	0.1	1.9	5.8	10 899	12.1	68.9	38		
0.1	0.5	0.6	0.2	0.3	0.1	1.2	7.1	9 464	13.0	71.1	39		
0.7	0.2	0.9	0.2	0.3	0.2	2.8	7.0	8 997	14.8	70.0	40		
0.1	3.1	0.3	0.4	0.1	—	—	5.2	3 349	22.8	42.0	36年		
0.03	4.2	1.2	0.1	0.1	—	0.1	2.5	6 575	17.7	56.7	37		
—	2.7	0.7	0.2	0.3	—	0.8	3.2	5 880	17.4	56.8	38		
0.04	3.1	0.1	0.4	0.1	—	—	3.0	7 374	15.6	66.0	39		
0.0	3.6	0.4	0.2	0.3	—	0.8	4.1	10 585	24.3	58.0	40		
—	0.1	1.6	0.1	0.1	—	0.4	2.8	2 749	23.5	45.3	36年		
—	0.2	0.1	0.2	0.02	—	0.1	3.2	3 999	18.9	63.9	37		
0.02	0.1	0.6	0.1	0.6	—	1.4	4.8	7 048	21.8	61.4	38		
—	0.1	0.03	0.2	0.01	—	—	4.1	6 705	20.6	66.6	39		
0.1	0.1	0.2	0.3	0.1	0.1	0.4	5.2	8 091	27.1	59.9	40		

206 学 校

2 学校生徒児童の疾病異常

校種・男女・年次	一 般 検 診 (続)				精 密					
	身体虚弱	精神薄弱	運動機能 障 害	心臓の疾患	在 学 生 徒 児 童 数	結 核 性 疾				
						在籍者数に対する結核			学校が実 受検人員	
						総 数	呼吸器系	そ の 他		
小学校 男 昭和										
36年	0.3	1.8	0.3	0.3	14 079	0.77	0.75	0.02	13 433	
37	0.3	1.4	0.3	0.2	12 519	0.92	0.90	0.02	12 169	
38	0.1	1.6	0.3	0.3	12 454	0.84	0.84	—	12 222	
39	0.1	1.8	0.3	0.5	11 504	0.84	0.82	0.02	11 288	
40	0.1	2.5	0.3	0.2	10 938	0.56	0.54	0.02	10 790	
女 昭和										
36年	0.4	1.6	0.2	0.3	13 708	0.70	0.69	0.01	13 134	
37	0.3	1.6	0.4	0.4	11 825	0.79	0.78	0.01	11 458	
38	0.1	1.4	0.3	0.3	11 845	0.93	0.92	0.01	11 646	
39	0.1	1.5	0.2	0.6	10 772	0.81	0.78	0.03	10 597	
40	0.2	2.2	0.2	0.2	10 547	0.69	0.69	—	10 411	
中学校 男 昭和										
36年	0.1	1.2	0.2	0.2	11 916	0.58	0.57	0.01	11 620	
37	0.1	1.5	0.2	0.3	12 716	0.37	0.37	—	12 348	
38	0.2	2.1	0.2	0.3	11 618	0.88	0.84	0.03	11 303	
39	0.1	1.1	0.1	0.3	10 617	0.34	0.34	—	10 313	
40	0.2	1.8	0.2	0.3	10 062	0.21	0.20	0.01	9 886	
女 昭和										
36年	0.2	1.2	0.1	0.3	11 184	0.56	0.55	0.01	10 980	
37	0.04	1.1	0.1	0.4	12 024	0.33	0.33	0.01	11 769	
38	0.2	1.6	0.2	0.4	11 064	0.89	0.80	0.08	10 833	
39	0.2	1.1	0.2	0.4	10 089	0.49	0.46	0.03	9 894	
40	0.2	1.7	0.1	0.3	9 461	0.19	0.18	0.01	9 295	
高等学校 男 昭和										
36年	—	—	0.1	0.4	3 442	0.29	0.29	—	3 392	
37	—	—	0.1	0.1	6 814	0.53	0.53	0.01	6 721	
38	—	—	0.1	0.4	6 042	0.46	0.43	0.03	5 842	
39	—	—	0.1	0.5	8 042	0.43	0.42	0.01	7 761	
40	0.0	—	0.1	0.4	11 465	0.15	0.15	—	11 282	
女 昭和										
36年	—	—	0.1	0.5	2 781	0.79	0.79	—	2 758	
37	—	—	0.02	0.05	4 129	0.34	0.34	—	4 105	
38	—	—	0.04	0.4	7 190	0.29	0.29	—	7 060	
39	—	—	0.01	0.4	7 460	0.41	0.40	0.01	7 352	
40	0.0	—	0.1	0.7	8 154	0.17	0.16	0.01	8 182	

2) 寄生虫卵検査は回虫検査のみである。

207 小 学 校 ・ 中 学 校 給 食 別

1 給食の毎週回数、いずれも実施計画された回数である。
 2 人員は4月中に1回以上給食を受けた児童生徒および教職員ならびに学校給食をとることを認められた給食従業員をいう。

年 次	総 数		完 全 給							
	学 校 数	人 員	総 数				毎 週 4			
			学 校 数	実施率 1)	人 員	実施率 2)	学 校 数	実施率 1)	人 員	
小 学										
昭和 36年 5月 1日	199	79 044	143	71.9	59 964	75.8	5	2.5	4 116	
37 "	198	74 050	155	78.3	59 640	80.5	5	2.5	3 977	
38 "	196	70 181	162	82.7	60 075	85.6	3	1.5	2 960	
39 "	266	67 462	165	62.0	58 063	86.0	2	0.7	2 256	
40 "	263	65 093	171	65.0	56 175	86.3	—	—	—	
中 学										
36 "	77	46 401	24	31.2	11 902	25.7	—	—	—	
37 "	75	48 919	27	36.0	13 695	28.0	—	—	—	
38 "	73	46 003	30	41.1	16 077	34.9	—	—	—	
39 "	80	43 104	27	33.7	14 331	33.3	—	—	—	
40 "	80	39 765	31	38.8	16 075	40.4	—	—	—	

1) 給食実施学校数/学校総数×100
 2) 給食人員/人員総数×100

衛生 (続)

該当者率 (受検人員に対する100分比) 昭和36~40年

県統計課

患		検 査						寄生虫保有 2)		寄生虫病	校 種 男 女 年 次
施した結核検査		受検人員	ツベルクリン皮内反応		疑陽性	陰性	受検人員	卵保有員			
呼吸器系	その他		陽	転					既陽性		
0.75	0.02	13 809	47.6	14.9	10.6	26.9	7 542	10.8	0.2	36年	
0.89	0.02	12 104	40.9	19.2	13.5	26.4	6 470	7.5	0.2	37	
0.82	—	12 178	42.9	16.7	13.0	27.4	10 332	5.3	0.2	38	
0.80	0.02	11 253	45.3	16.5	13.2	25.0	9 175	6.0	0.5	39	
0.52	0.01	10 710	42.5	17.7	13.7	26.1	9 796	4.5	0.2	40	
0.67	0.01	13 440	52.8	15.2	9.2	22.8	7 392	10.5	0.2	36年	
0.78	0.01	11 425	45.3	19.3	11.6	23.8	6 095	7.5	0.3	37	
0.93	0.01	11 631	47.5	16.9	11.7	23.9	9 861	4.9	0.2	38	
0.78	0.05	10 524	51.5	15.6	12.1	20.8	8 654	5.5	0.5	39	
0.65	—	10 352	47.5	16.3	12.3	23.9	9 568	4.3	0.2	40	
0.53	—	11 425	69.2	8.1	10.0	12.6	4 340	7.1	—	36年	
0.36	—	12 380	59.8	9.6	14.3	16.0	5 129	2.8	0.6	37	
0.84	0.04	11 263	61.8	10.1	14.3	13.8	8 351	3.5	0.01	38	
0.35	—	10 208	61.3	10.1	13.9	14.7	8 251	4.2	—	39	
0.20	—	9 865	66.2	8.8	13.6	11.4	8 223	2.5	0.0	40	
0.46	0.01	10 836	71.5	7.9	8.9	11.7	4 249	7.2	—	36年	
0.32	0.01	11 850	60.3	9.7	13.9	16.2	5 195	2.6	0.8	37	
0.77	0.08	10 802	61.2	10.0	14.0	14.8	8 120	4.0	0.01	38	
0.45	0.01	9 764	61.3	10.7	11.8	16.2	8 135	4.1	0.02	39	
0.17	0.01	9 304	63.4	7.4	14.9	14.3	7 945	2.8	0.0	40	
0.29	—	3 403	81.6	3.7	10.1	4.6	1 077	3.6	0.2	36年	
0.46	0.01	6 717	70.1	6.0	13.7	10.3	2 025	5.3	0.3	37	
0.34	—	5 939	74.3	5.3	12.0	8.4	2 795	2.9	0.02	38	
0.41	0.01	7 810	73.3	6.5	10.1	10.1	3 960	3.6	0.04	39	
0.12	—	11 337	73.3	6.2	12.5	8.0	6 348	1.4	—	40	
0.80	—	2 745	79.0	5.4	7.5	8.1	1 549	3.6	0.1	36年	
0.29	—	4 103	74.2	4.9	10.7	10.3	1 916	4.2	0.5	37	
0.28	—	7 033	73.5	5.2	10.5	10.8	3 847	2.5	0.01	38	
0.37	0.01	7 307	79.9	5.5	6.6	8.0	3 770	3.1	0.1	39	
0.15	0.01	8 199	72.2	6.5	11.5	9.8	4 299	2.3	—	40	

学校数および人員 昭和36~40年

県教育委員会体育保健課

回	食				ミルク給食 (毎週5回以上)				その他の給食				年次
	毎週5回以上		実施率 2)		実施率 1)		実施率 2)		実施率 1)		実施率 2)		
5.2	138	69.3	55 848	75.1	11	5.5	3 460	4.3	—	—	—	—	36年
5.4	150	75.8	55 663	75.2	19	9.6	3 226	4.4	—	—	—	—	37
4.2	159	81.1	57 115	81.4	83	42.3	8 935	12.7	—	—	—	—	38
3.3	163	61.3	55 807	82.7	83	31.2	8 911	13.2	—	—	—	—	39
—	171	65.0	56 175	86.3	74	28.2	7 950	12.2	—	—	—	—	40
校													
—	24	31.2	11 902	25.7	4	5.2	1 818	3.9	—	—	—	—	36年
—	27	36.0	13 695	28.0	7	9.3	2 683	5.5	—	—	—	—	37
—	30	41.1	16 077	34.9	44	60.3	23 434	50.9	—	—	—	—	38
—	27	33.7	14 331	33.3	49	61.2	25 850	60.0	—	—	—	—	39
—	31	38.8	16 075	40.4	48	60.0	23 636	52.5	—	—	—	—	40